



Център за изследване, изграждане и усъвършенстване  
на способности на НАТО за управление на кризи и  
реагиране при бедствия (CMDRCOE)

1606 София, бул. „Тотлебен“ 34А

Референтен No. CFB/MDA/EQ3/SS/14/2026    Дата: 15 юли 2026 г.

## ПУБЛИЧНА ПОКАНА

### УВАЖАЕМИ ДАМИ И ГОСПОДА,

1. Центърът за изследване, изграждане и усъвършенстване на способности на НАТО за управление на кризи и реагиране при бедствия открива процедура за избор на доставчик за доставка на сейфове за сигурно съхранение за проекта за изграждане на отбранителен капацитет на Република Молдова, в съответствие с условията, посочени в настоящата публична покана.

2. Публичната покана съдържа следните приложения:

- a) Приложение А: Задание;
- b) Приложение Б: Регистрационна форма;
- c) Приложение В: Техническо предложение;
- d) Приложение Г: Ценово предложение;
- e) Приложение Д: Методика за оценка.

3. Участниците в процедурата приемат изцяло и без ограничения изискванията на настоящата публична покана и правилата за обществени поръчки на CMDR COE при подаване на своите оферти. Участникът и CMDR COE договарят условията по предоставянето/получаването на стоките/услугите в договор.

4. Офертите трябва да бъдат получени от ЦИИУС на НАТО за УКРБ на адреса посочен в параграф 9 не по-късно от 12.00 часа (Източно Европейско Време) на 14 август 2026 г. Оферти получени след определеното време автоматично, ще бъдат отхвърлени. Оферти изпратени по факс или e-mail няма да бъдат приемани.

### ИНСТРУКЦИИ ЗА ПОДГОТОВКА И ПОДАВАНЕ НА ОФЕРТИТЕ

5. Офертите да бъдат подготвени на английски език и да отговарят напълно на изискванията определени в тази покана и да съдържат



CRISIS MANAGEMENT AND DISASTER RESPONSE  
CENTRE OF EXCELLENCE (CMDRCOE)

34A, Tottleben Blvd, 1606 Sofia, Bulgaria

Reference No. CFB/MDA/EQ3/SS/14/2026

Date: 15 July 2026

## CALL FOR BIDS

### DEAR LADIES AND GENTLEMEN,

1. The Crisis Management and Disaster Response Centre of Excellence (CMDR COE) initiates a bidding procedure for delivery of secure storage safes for the Defence Capacity Building project for the Republic of Moldova, in accordance with the terms and conditions stipulated herein.

2. The Call for Bids (CFB) consists of the following annexes:

- a) Annex A: Terms of Reference;
- b) Annex B: Vendor Registration Form;
- c) Annex C: Technical Proposal;
- d) Annex D: Price Offer;
- e) Annex E: Assessment Methodology.

3. The bidder accepts in full and without restriction the requirements of this CFB and CMDR COE procurement and contracting policies when submitting its tender. The bidder and CMDR COE will contract the conditions for delivery/receiving of goods/services in a written contract.

4. Bids have to be received by CMDR COE at the address shown in paragraph 9 no later than Friday 14 August 2026 at 12.00 (EET). Bids received after the designated time will be automatically rejected. Submission of bids by fax or email are not accepted.

### INSTRUCTIONS FOR SUBMISSION OF BIDS

5. Bids have to be submitted in English and to respond in detail to requirements set out in this Call for bids and to include each one of

всяко едно от приложенията В, С и D.

6. ЦИИУС на НАТО за УКРБ приема ценови предложения в евро. Ценовото предложение да включва на отделни редове: цена без ДДС, начислено ДДС и цена с ДДС, ако е приложимо за кандидата.

7. Офертите и ценовите предложения следва да бъдат валидни за срок от 15 календарни дни след датата за подаване на офертите.

8. Офертите трябва да посочват името на участника, неговия адрес, дата и да бъдат подписани от управителя или упълномощен представител.

9. Офертите трябва да бъдат представени в запечатан, непрозрачен плик, ясно надписани по следния начин и изпратени на следния адрес:

the annexes B, C and D.

6. CMDR COE will accept offers in EUR. Offered price proposal to include, shown on a separate line: price excluding VAT, accounted VAT and total price including VAT, if applicable for the particular bidder.

7. Bids and all price offers shall remain valid and open for acceptance for at least 15 calendar days from the closing date.

8. The Bid have to indicate the date, Bidder's name, address, and to be signed by the Bidder Manager or by a Bidder authorized representative.

9. The bid has to be submitted in a sealed opaque envelope, clearly marked and addressed as follows:

**CONFIDENTIAL TENDER-DO NOT OPEN**

„Crisis Management and Disaster Response Centre of Excellence “  
34A “Totleben” Blvd., 1606, Sofia

Reference No. CFB/MDA/EQ3/SS/14/2026

„ Delivery of Secure Storage Safes for DCB Moldova Project (CMDR  
COE)”

Closing Date / Time: Friday 14 August 2026 at 12:00 (EET)

\_\_\_\_\_  
name of the candidate

\_\_\_\_\_  
address for correspondence

\_\_\_\_\_  
point of contact, telephone number, fax and email

**CONFIDENTIAL TENDER-DO NOT OPEN**

„Crisis Management and Disaster Response Centre of Excellence “  
34A “Totleben” Blvd., 1606, Sofia

Reference No. CFB/MDA/EQ3/SS/14/2026

„ Delivery of Secure Storage Safes for DCB Moldova Project (CMDR  
COE)”

Closing Date / Time: Friday 14 August 2026 at 12:00 (EET)

\_\_\_\_\_  
name of the candidate

\_\_\_\_\_  
address for correspondence

\_\_\_\_\_  
point of contact, telephone number, fax and email

10.Оферти изпратени на друг адрес няма да бъдат разглеждани.

## **ОЦЕНКА НА ОФЕРТИТЕ**

11. Като водещо правило, до оценка ще бъдат допускани само оферти, които са технически приемливи и предоставят цялата изискваща се от публичната покана информация. Оценяването ще се извършва съгласно Методиката за оценка в Приложение Д. Най-ниската цена не е единствен критерий за възлагане. Договор ще бъде подписан с участника, предложил икономически най-изгодната оферта / най-добро съотношение между качество, техническо съответствие, срокове, поддръжка и цена.

## **ВЪЗЛАГАНЕ НА ДОГОВОРА**

12.Тази публична покана, заедно с всички нейни приложения, ще бъдат част от всяка поръчка или договор подписан от ЦИИУС на НАТО за УКРБ. Всеки Договор ще включва всички предложения, направени в офертата.

13.Тази публична покана не задължава ЦИИУС на НАТО за УКРБ да приема някоя оферта или да подпише договор или заплаща разходи направени във връзка с подготовката и изпращането на оферта, или да закупи нещо от участник изпратил оферта.

14.Настоящата публична покана не съдържа никаква оферта за сключване на договор. Всяка подадена оферта ще се счита за предложение от страна на съответния участник, а не като приемане от страна на участника на оферта от страна на ЦИИУС на НАТО за УКРБ. Не съществуват договорни отношения, освен в изпълнение на Договор, подписан от упълномощените представители на двете страни

## **ВЪПРОСИ И ЗАПИТВАНИЯ**

15.Всички въпроси отнасящи се до тази публична покана, следва да бъдат направени в писмена форма чрез изпращане на e-mail на вниманието на Васил Русинов, секция „Поръчки и доставки“, на следния адрес:

10.Bids delivered to any other address will be rejected.

## **EVALUATION OF BIDS**

11. As a general rule, only bids that are technically acceptable and provide all the necessary evidence required in the CFB will be considered for evaluation. Evaluation will be conducted according to the Assessment Methodology in Annex E. The lowest price is not the sole award criterion. Among the technically acceptable bids, the contract will be awarded to the bidder offering the best value for money, taking into account technical compliance, quality of the proposed solution, delivery, warranty/support and price.

## **AWARD OF CONTRACT**

12. This CFB, including its Sections, Annexes and Attachments will form part of any purchase order or contract awarded by CMDR COE. Any such Contract will require compliance with all factual statements and representations made in the Bid.

13. This CFB does not commit CMDR COE to consider any bid or to award a Contract or to pay any costs incurred in the preparation or submission of bid, or to procure any item from any bidder.

14. This CFB contains no contractual offer of any kind. Any bid submitted will be regarded as an offer by the bidder and not as an acceptance by the bidder of any offer by CMDR COE. No contractual relationship exists, except pursuant to a Contract signed by the authorized representatives of both parties.

## **QUESTIONS**

15. Any questions pertaining to this CFB shall be addressed in writing, by email to the attention of Vassil Roussinov, Procurement Section at [procurement@cmdrcoe.org](mailto:procurement@cmdrcoe.org) not later than 11 August 2026 at 15:00 HRS (EET). CMDR COE will notify all the invitees in writing of the

[procurement@cmdrcoe.org](mailto:procurement@cmdrcoe.org) не по-късно от 15:00 часа (ИЕВ) на 11 август 2026 г. ЦИИУС на НАТО за УКРБ ще уведомява писмено всички поканени за повдигнатите въпроси и съответните отговори. Молим да се въздържате от телефонни разговори и посещения на място.

ЗА СЕКЦИЯ „ПОРЪЧКИ И ДОСТАВКИ“:

ВАСИЛ РУСИНОВ

questions raised and the corresponding responses. Kindly refrain from telephone calls and personal visits.

FOR CMDR COE PROCUREMENT SECTION:

VASSIL ROUSSIOV

**Задание**

Доставка на сейфове за сигурно съхранение за проекта за изграждане на отбранителен капацитет на Република Молдова (Оборудване за командване, контрол и координация), изпълняван от „Център за изследване, изграждане и усъвършенстване на способности на НАТО за управление на кризи и реагиране при бедствия“

**Кратко описание:** Доставка на 92 броя сейфове за сигурно съхранение (големи сейфове с ключалка, електронна ключалка и комбинирано заключване, както и метални сейфове с ключалка и електронна ключалка) в подкрепа на изискванията за сигурно съхранение и отчетност на Националната армия на Република Молдова, в рамките на инициативата за стандартизация на обучението.

1. **Въведение** Център за изследване, изграждане и усъвършенстване на способности на НАТО за управление на кризи и реагиране при бедствия търси доставчик (от тук нататък наричан „Доставчик“), който е в състояние да достави договорените стоки, като изпълнява изискванията на настоящото задание.
2. **Общи изисквания:**
  - a) Всеки участник може да изпрати само една оферта.
3. **Специфични изисквания:**
  - a) За всеки компонент могат да бъдат предлагани еквивалентни модели;
  - b) Предложените стоки трябва да бъдат фабрично нови и неупотребявани;

**Terms of Reference**

Delivery of Secure Storage Safes for the Defence Capacity Building Project – Republic of Moldova (Command, Control and Coordination Equipment), implemented by the “Crisis Management and Disaster Response Centre of Excellence”

**Project summary:** Delivery of 92 units of secure storage safes (large safes with key lock, electronic lock and combined key/electronic lock, plus metal safes with key lock and electronic lock) to support secure storage and accountability requirements of the Moldovan National Army under the DCB Standardization of Training initiative.

1. **Introduction** The Crisis Management and Disaster Response Centre of Excellence is looking for a vendor (hereinafter referred to as the “Contractor”) who is able to deliver the contracted goods, fulfilling the requirements outlined in this Terms of Reference.
2. **General requirements:**
  - a) The bidder may submit only one offer.
3. **Specific requirements:**
  - a) Equivalent models may be offered for each component;
  - b) The proposed goods must be new and unused;

4. Технически изисквания и описание на необходимото допълнително оборудване:

**МИНИМАЛНИ ИЗИСКВАНИЯ:**

| No | Минимални изисквания                       | Техническа спецификация                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Количество |
|----|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 1  | Сигурно съхранение – голям сейф с ключалка | Голям сейф с ключалка за защитено съхранение на чувствителни материали, документация и подбрани активи; външни размери приблизително 1950 x 930 x 520 мм (В x Ш x Д); вътрешни размери приблизително 1800 x 820 x 420 мм; двустенно стоманено тяло с огнеустойчиво изпълнение между стените; устойчивост на взлом минимум клас S2 съгласно EN 14450; огнеустойчивост минимум 30 минути; дебелина на вратата минимум 60 мм; многоточков заключващ механизъм с минимум 4 заключващи болта с диаметър минимум 20 мм; ъгъл на отваряне на вратата до 180° чрез външни панти; високо-секретна ключалка с двустранен ключ, доставена с два ключа и дръжка; регулируеми вътрешни рафтове, максимален товар на рафт минимум 40 кг; точки за закрепване към под/стена; окомплектован със сертификат за изпитване/съответствие от производителя и документация за потребителя на английски език. | 23         |

4. Technical requirements and description of the necessary additional equipment:

**MINIMUM REQUIREMENTS:**

| No | Minimum requirements                      | Technical specification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Quantity |
|----|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 1  | Secure storage – large safe with key lock | Large safe with key lock for protected storage of sensitive materials, documentation and selected assets; external dimensions approximately 1950 x 930 x 520 mm (H x W x D); internal dimensions approximately 1800 x 820 x 420 mm; double-wall steel body with fire-resistant insulating fill between the walls; burglary resistance minimum Grade S2 per EN 14450; fire resistance minimum 30 minutes; door thickness minimum 60 mm; multi-point locking mechanism with minimum 4 locking bolts of minimum 20 mm diameter; door opening angle up to 180° via external hinges; high-security double-bit key lock supplied with two keys and handle; adjustable interior shelving, maximum shelf load minimum 40 kg; floor/wall anchoring points; complete with manufacturer's test/compliance certificate and user documentation in English. | 23       |

|   |                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |   |
|---|----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| 2 | Сигурно съхранение – голям сейф с електронна ключалка    | Голям сейф с електронна ключалка за защитено съхранение и контролиран достъп до чувствително съдържание; външни размери приблизително 1950 x 930 x 520 мм (В x Ш x Д); вътрешни размери приблизително 1800 x 820 x 420 мм; двустенно стоманено тяло с огнеустойчиво изпълнение между стените; устойчивост на взлом минимум клас S2 съгласно EN 14450; огнеустойчивост минимум 30 минути; дебелина на вратата минимум 60 мм; многоточков заключващ механизъм с минимум 4 заключващи болта с диаметър минимум 20 мм; ъгъл на отваряне на вратата до 180° чрез външни панти; електронна кодова ключалка с цифрова клавиатура, минимум 6-цифрен потребителски код и звуково/визуално индикиране на достъпа, захранвана с батерия с индикация за нисък заряд; регулируеми вътрешни рафтове, максимален товар на рафт минимум 40 кг; точки за закрепване към под/стена; окомплектован със сертификат за изпитване/съответствие от производителя и документация за потребителя на английски език. | 6 |
| 3 | Сигурно съхранение – голям сейф с комбинирано заключване | Голям сейф с комбинирано заключване (ключ и електронна ключалка) за повишена сигурност и двоен контрол на достъпа; външни размери приблизително 1950 x 930 x 520 мм (В x                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 1 |

|   |                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |   |
|---|---------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| 2 | Secure storage – large safe with electronic lock  | Large safe with electronic lock for protected storage and controlled access to sensitive contents; external dimensions approximately 1950 x 930 x 520 mm (H x W x D); internal dimensions approximately 1800 x 820 x 420 mm; double-wall steel body with fire-resistant insulating fill between the walls; burglary resistance minimum Grade S2 per EN 14450; fire resistance minimum 30 minutes; door thickness minimum 60 mm; multi-point locking mechanism with minimum 4 locking bolts of minimum 20 mm diameter; door opening angle up to 180° via external hinges; electronic combination lock with digital keypad, minimum 6-digit user code and audible/visual access indication, battery-powered with low-battery warning; adjustable interior shelving, maximum shelf load minimum 40 kg; floor/wall anchoring points; complete with manufacturer's test/compliance certificate and user documentation in English. | 6 |
| 3 | Secure storage – large safe with key + electronic | Large safe with combined key and electronic locking for increased security and dual-control access; external dimensions approximately 1950 x 930 x 520 mm (H x W x D); internal dimensions approximately 1800 x 820 x 420 mm; double-wall steel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 1 |

|   |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |    |
|---|----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
|   |                                              | Ш х Д); вътрешни размери приблизително 1800 x 820 x 420 мм; двустенно стоманено тяло с огнеустойчиво изпълнение между стените; устойчивост на взлом минимум клас S2 съгласно EN 14450; огнеустойчивост минимум 30 минути; дебелина на вратата минимум 60 мм; многоточков заключващ механизъм с минимум 4 заключващи болта с диаметър минимум 20 мм; ъгъл на отваряне на вратата до 180° чрез външни панти; комбинирано заключване, включващо високо-секретна ключалка с двустранен ключ (два ключа) и независима електронна кодова ключалка с цифрова клавиатура; регулируеми вътрешни рафтове, максимален товар на рафт минимум 40 кг; точки за закрепване към под/стена; окомплектован със сертификат за изпитване/съответствие от производителя и документация за потребителя на английски език. |    |
| 4 | Сигурно съхранение – метален сейф с ключалка | Метален сейф за разпределено сигурно съхранение в подразделения от по-ниско ниво или работни зони, с ключалка; външни размери приблизително 630 x 440 x 355 мм (В x Ш x Д); вътрешни размери приблизително 500 x 434 x 301 мм; вътрешен обем приблизително 66 литра, включително отделно малко заключващо се отделение (около 13                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 37 |

|   |                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |    |
|---|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
|   | lock                                      | body with fire-resistant insulating fill between the walls; burglary resistance minimum Grade S2 per EN 14450; fire resistance minimum 30 minutes; door thickness minimum 60 mm; multi-point locking mechanism with minimum 4 locking bolts of minimum 20 mm diameter; door opening angle up to 180° via external hinges; combined locking comprising a high-security double-bit key lock (two keys) plus an independent electronic combination lock with digital keypad; adjustable interior shelving, maximum shelf load minimum 40 kg; floor/wall anchoring points; complete with manufacturer's test/compliance certificate and user documentation in English. |    |
| 4 | Secure storage – metal safe with key lock | Metal safe for distributed secure storage at lower-tier facilities or working areas, key lock; external dimensions approximately 630 x 440 x 355 mm (H x W x D); internal dimensions approximately 500 x 434 x 301 mm; internal capacity approximately 66 litres, including a separate small lockable compartment (approx. 13 litres) for cash/valuables; burglary resistance minimum Grade S1 per EN 14450; three-way locking bolt mechanism with integrated                                                                                                                                                                                                      | 37 |



|   |                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |    |
|---|---------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
|   |                                                         | литра) за пари/ценности; устойчивост на взлом минимум клас S1 съгласно EN 14450; триточков заключващ механизъм с вграден релокер, предпазващ от пробиване; високо-секретна ключалка с двустранен ключ, доставена с два ключа; минимум 1 регулируем вътрешен рафт; точки/отвори за закрепване към под/стена; окомплектован със сертификат за изпитване/съответствие от производителя и документация за потребителя на английски език.                                                                                                                                                                                                                                                                                                   |    |
| 5 | Сигурно съхранение – метален сейф с електронна ключалка | Метален сейф за разпределено защитено съхранение и отчетност в подразделения от по-ниско ниво или работни зони, с електронна ключалка; външни размери приблизително 630 x 440 x 355 мм (В x Ш x Д); вътрешни размери приблизително 500 x 434 x 301 мм; вътрешен обем приблизително 66 литра, включително отделно малко заключващо се отделение (около 13 литра) за пари/ценности; устойчивост на взлом минимум клас S1 съгласно EN 14450; триточков заключващ механизъм с вграден релокер, предпазващ от пробиване; електронна кодова ключалка с цифрова клавиатура, минимум 6-цифрен потребителски код и звуково/визуално индикиране на достъпа, захранвана с батерия с индикация за нисък заряд; минимум 1 регулируем вътрешен рафт; | 25 |

|   |                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |    |
|---|--------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
|   |                                                  | relocker protecting against drilling attacks; high-security double-bit key lock supplied with two keys; minimum 1 adjustable interior shelf; floor/wall anchoring points/holes; complete with manufacturer's test/compliance certificate and user documentation in English.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |    |
| 5 | Secure storage – metal safe with electronic lock | Metal safe for distributed protected storage and accountability at lower-tier facilities or working areas, electronic lock; external dimensions approximately 630 x 440 x 355 mm (H x W x D); internal dimensions approximately 500 x 434 x 301 mm; internal capacity approximately 66 litres, including a separate small lockable compartment (approx. 13 litres) for cash/valuables; burglary resistance minimum Grade S1 per EN 14450; three-way locking bolt mechanism with integrated relocker protecting against drilling attacks; electronic combination lock with digital keypad, minimum 6-digit user code and audible/visual access indication, battery-powered with low-battery warning; minimum 1 adjustable interior shelf; floor/wall anchoring points/holes; complete with manufacturer's test/compliance certificate and user documentation in English. | 25 |

|  |  |                                                                                                                                                                    |  |
|--|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  |  | точки/отвори за закрепване към под/стена; окомплектован със сертификат за изпитване/съответствие от производителя и документация за потребителя на английски език. |  |
|--|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

В техническата оферта участникът в процедурата трябва подробно да опише всеки параметър съгласно Специфичните изисквания от това приложение. Предлагащото оборудване може да надвишава минималните технически изисквания на този Публична покана.

5. **Срок на валидност на предложенията:** Срокът на валидност на предложението следва да бъде не по-малък от 15 (петнадесет) календарни дни, считано от крайния срок за представяне на офертите.
6. **Срок на доставка – до 8 седмици (56 календарни дни) след подписване на договора.**
7. **Място за доставка – Кишинев, Република Молдова (точният адрес за доставка да бъде потвърден от възложителя преди подписване на договора). Доставка при условия DAP (Delivered at Place).**

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

In the technical offer, the bidder must describe in detail each parameter according to the Specific Requirements in this annex. The equipment offered may exceed the minimal technical requirements of this CFB.

5. **Period of validity of proposals:** Period of validity of a proposal should be not short than 15 (fifteen) calendar days after the dead line of submitting of offers.
6. **Delivery time – Within 8 weeks (56 calendar days) after signing the contract.**
7. **Delivery place – Chisinau, Republic of Moldova (exact delivery address to be confirmed by the contracting authority prior to contract signature). Delivery on DAP – Delivered at Place – terms.**

Vendor Registration Form

In order for the Crisis Management and Disaster Response Centre of Excellence (CMDR COE) to process payments, it is essential that very specific and detailed information be provided. Please provide bank information. All information is required to ensure timely processing of payments.

**Note:** All information provided will be safeguarded and held at CMDR COE.

|                              |                      |
|------------------------------|----------------------|
| COMPANY NAME:                | <input type="text"/> |
| UNIFIED IDENTIFICATION CODE: | <input type="text"/> |
| ADDRESS:                     | <input type="text"/> |
| CITY:                        | <input type="text"/> |
| POSTAL CODE:                 | <input type="text"/> |
| COUNTRY:                     | <input type="text"/> |
| CONTACT NAME AND TITLE:      | <input type="text"/> |
| EMAIL:                       | <input type="text"/> |
| PHONE NUMBER:                | <input type="text"/> |
| BANK INFORMATION             |                      |
| BANK NAME:                   | <input type="text"/> |
| SWIFT CODE:                  | <input type="text"/> |
| IBAN:                        | <input type="text"/> |
| ACCOUNT CURRENCY:            | <input type="text"/> |

I, the undersigned, certify that I am duly authorized by [Insert Name of Participant] to sign this Offer and bind it should CMDR COE accept this Offer.

Name: \_\_\_\_\_  
Title: \_\_\_\_\_  
Date: \_\_\_\_\_  
Signature: \_\_\_\_\_

[Stamp with an official stamp of the Participant]

## Technical Proposal

|                      |                              |       |  |
|----------------------|------------------------------|-------|--|
| Name of Participant: | [Insert Name of Participant] | Date: |  |
| CFB reference:       | No. CFB/MDA/EQ3/SS/14/2026   |       |  |

Where a descriptive response is requested, failure to provide the same will be viewed as non-responsive.

The bidder's offer should be organized to follow this format of the Technical Proposal. The participant must describe the exact type of each offered item and provide relevant product information or visualization for each item. The quality of the goods offered may exceed the minimum technical requirements of this CFB.

| No | MINIMUM REQUIREMENTS                      | Technical specification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | OFFER 1                     | OFFER 2                     | OFFER 3                     |
|----|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|
|    |                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Brand / Model / PN / Origin | Brand / Model / PN / Origin | Brand / Model / PN / Origin |
| 1  | Secure storage – large safe with key lock | Large safe with key lock for protected storage of sensitive materials, documentation and selected assets; external dimensions approximately 1950 x 930 x 520 mm (H x W x D); internal dimensions approximately 1800 x 820 x 420 mm; double-wall steel body with fire-resistant insulating fill between the walls; burglary resistance minimum Grade S2 per EN 14450; fire resistance minimum 30 minutes; door thickness minimum 60 mm; multi-point locking mechanism with minimum 4 locking bolts of minimum 20 mm diameter; door opening angle up to 180° via external hinges; high-security double-bit key lock supplied with two keys and handle; adjustable interior shelving, maximum shelf load |                             |                             |                             |

| No | MINIMUM REQUIREMENTS                                   | Technical specification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | OFFER 1                     | OFFER 2                     | OFFER 3                     |
|----|--------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|
|    |                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Brand / Model / PN / Origin | Brand / Model / PN / Origin | Brand / Model / PN / Origin |
|    |                                                        | minimum 40 kg; floor/wall anchoring points; complete with manufacturer's test/compliance certificate and user documentation in English.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                             |                             |                             |
| 2  | Secure storage – large safe with electronic lock       | Large safe with electronic lock for protected storage and controlled access to sensitive contents; external dimensions approximately 1950 x 930 x 520 mm (H x W x D); internal dimensions approximately 1800 x 820 x 420 mm; double-wall steel body with fire-resistant insulating fill between the walls; burglary resistance minimum Grade S2 per EN 14450; fire resistance minimum 30 minutes; door thickness minimum 60 mm; multi-point locking mechanism with minimum 4 locking bolts of minimum 20 mm diameter; door opening angle up to 180° via external hinges; electronic combination lock with digital keypad, minimum 6-digit user code and audible/visual access indication, battery-powered with low-battery warning; adjustable interior shelving, maximum shelf load minimum 40 kg; floor/wall anchoring points; complete with manufacturer's test/compliance certificate and user documentation in English. |                             |                             |                             |
| 3  | Secure storage – large safe with key + electronic lock | Large safe with combined key and electronic locking for increased security and dual-control access; external dimensions approximately 1950 x 930 x 520 mm (H x W x D); internal dimensions approximately 1800 x 820 x 420 mm; double-wall steel body with fire-resistant insulating fill between                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                             |                             |                             |

| No | MINIMUM REQUIREMENTS                      | Technical specification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | OFFER 1                     | OFFER 2                     | OFFER 3                     |
|----|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|
|    |                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Brand / Model / PN / Origin | Brand / Model / PN / Origin | Brand / Model / PN / Origin |
|    |                                           | the walls; burglary resistance minimum Grade S2 per EN 14450; fire resistance minimum 30 minutes; door thickness minimum 60 mm; multi-point locking mechanism with minimum 4 locking bolts of minimum 20 mm diameter; door opening angle up to 180° via external hinges; combined locking comprising a high-security double-bit key lock (two keys) plus an independent electronic combination lock with digital keypad; adjustable interior shelving, maximum shelf load minimum 40 kg; floor/wall anchoring points; complete with manufacturer's test/compliance certificate and user documentation in English.                                                                                                                         |                             |                             |                             |
| 4  | Secure storage – metal safe with key lock | Metal safe for distributed secure storage at lower-tier facilities or working areas, key lock; external dimensions approximately 630 x 440 x 355 mm (H x W x D); internal dimensions approximately 500 x 434 x 301 mm; internal capacity approximately 66 litres, including a separate small lockable compartment (approx. 13 litres) for cash/valuables; burglary resistance minimum Grade S1 per EN 14450; three-way locking bolt mechanism with integrated relocker protecting against drilling attacks; high-security double-bit key lock supplied with two keys; minimum 1 adjustable interior shelf; floor/wall anchoring points/holes; complete with manufacturer's test/compliance certificate and user documentation in English. |                             |                             |                             |

| No | MINIMUM REQUIREMENTS                             | Technical specification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | OFFER 1                     | OFFER 2                     | OFFER 3                     |
|----|--------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|
|    |                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Brand / Model / PN / Origin | Brand / Model / PN / Origin | Brand / Model / PN / Origin |
| 5  | Secure storage – metal safe with electronic lock | Metal safe for distributed protected storage and accountability at lower-tier facilities or working areas, electronic lock; external dimensions approximately 630 x 440 x 355 mm (H x W x D); internal dimensions approximately 500 x 434 x 301 mm; internal capacity approximately 66 litres, including a separate small lockable compartment (approx. 13 litres) for cash/valuables; burglary resistance minimum Grade S1 per EN 14450; three-way locking bolt mechanism with integrated relocker protecting against drilling attacks; electronic combination lock with digital keypad, minimum 6-digit user code and audible/visual access indication, battery-powered with low-battery warning; minimum 1 adjustable interior shelf; floor/wall anchoring points/holes; complete with manufacturer's test/compliance certificate and user documentation in English. |                             |                             |                             |

We attach the following:

a) Technical information (if necessary) – ..... (number of pages);

Authorized signature: \_\_\_\_\_  
(Name of authorized signatory)

Functional Title: \_\_\_\_\_

Price offer

|                      |                              |       |  |
|----------------------|------------------------------|-------|--|
| Name of Participant: | [Insert Name of Participant] | Date: |  |
| CFB reference:       | No. CFB/MDA/EQ3/SS/14/2026   |       |  |

The participant's offer should be organized to follow this format of the Price Offer. The participant must include in the offered prices and any additional delivery-related cost if not already embedded in the unit prices. The technical features of the items offered in this Price Offer are described in the Technical Proposal (Annex C).

Price offer for /OFFER 1/

| No | Description of the items                                | Quantity | Cost per unit<br>VAT excl.<br>EUR | Total VAT excl.<br>EUR | VAT | Total VAT incl.<br>EUR |
|----|---------------------------------------------------------|----------|-----------------------------------|------------------------|-----|------------------------|
| 1  | Secure storage – large safe with key lock               | 23 units |                                   |                        |     |                        |
| 2  | Secure storage – large safe with electronic lock        | 6 units  |                                   |                        |     |                        |
| 3  | Secure storage – large safe with key + electronic lock  | 1 unit   |                                   |                        |     |                        |
| 4  | Secure storage – metal safe with key lock               | 37 units |                                   |                        |     |                        |
| 5  | Secure storage – metal safe with electronic lock        | 25 units |                                   |                        |     |                        |
| 6  | Shipping / delivery / insurance (if not included above) | 1 lot    |                                   |                        |     |                        |
|    | TOTAL                                                   |          |                                   |                        |     |                        |

We attach the following: a) \_\_\_\_\_ (any other information regarding the Price Offer)

Price offer for /OFFER 2/

| No | Description of the items | Quantity | Cost per unit<br>VAT excl.<br>EUR | Total VAT excl.<br>EUR | VAT | Total VAT incl.<br>EUR |
|----|--------------------------|----------|-----------------------------------|------------------------|-----|------------------------|
|----|--------------------------|----------|-----------------------------------|------------------------|-----|------------------------|



| No | Description of the items                                | Quantity | Cost per unit<br>VAT excl.<br>EUR | Total VAT excl.<br>EUR | VAT | Total VAT incl.<br>EUR |
|----|---------------------------------------------------------|----------|-----------------------------------|------------------------|-----|------------------------|
| 1  | Secure storage – large safe with key lock               | 23 units |                                   |                        |     |                        |
| 2  | Secure storage – large safe with electronic lock        | 6 units  |                                   |                        |     |                        |
| 3  | Secure storage – large safe with key + electronic lock  | 1 unit   |                                   |                        |     |                        |
| 4  | Secure storage – metal safe with key lock               | 37 units |                                   |                        |     |                        |
| 5  | Secure storage – metal safe with electronic lock        | 25 units |                                   |                        |     |                        |
| 6  | Shipping / delivery / insurance (if not included above) | 1 lot    |                                   |                        |     |                        |
|    | <b>TOTAL</b>                                            |          |                                   |                        |     |                        |

We attach the following: a) \_\_\_\_\_ (any other information regarding the Price Offer)

**Price offer for /OFFER 3/**

| No | Description of the items                                | Quantity | Cost per unit<br>VAT excl.<br>EUR | Total VAT excl.<br>EUR | VAT | Total VAT incl.<br>EUR |
|----|---------------------------------------------------------|----------|-----------------------------------|------------------------|-----|------------------------|
| 1  | Secure storage – large safe with key lock               | 23 units |                                   |                        |     |                        |
| 2  | Secure storage – large safe with electronic lock        | 6 units  |                                   |                        |     |                        |
| 3  | Secure storage – large safe with key + electronic lock  | 1 unit   |                                   |                        |     |                        |
| 4  | Secure storage – metal safe with key lock               | 37 units |                                   |                        |     |                        |
| 5  | Secure storage – metal safe with electronic lock        | 25 units |                                   |                        |     |                        |
| 6  | Shipping / delivery / insurance (if not included above) | 1 lot    |                                   |                        |     |                        |
|    | <b>TOTAL</b>                                            |          |                                   |                        |     |                        |

We attach the following:

a) .....(any other information regarding the Price offer)

I, the undersigned, certify that I am duly authorized by [Insert Name of Participant] to sign this Offer and bind it should CMDR COE accept this Offer.

Name: \_\_\_\_\_

Title: \_\_\_\_\_

Date: \_\_\_\_\_

Signature: \_\_\_\_\_

## Приложение Д / Annex E

### Обща методика за оценка на офертите / General Bid Evaluation Methodology

#### 1. Цел и приложимост

Настоящата методика определя общия ред за оценка на офертите по публични покани на CMDR COE за доставка на стоки, системи, оборудване, устройства, аксесоари, услуги по активиране/абонамент и свързана поддръжка, когато такива са част от съответната покана. Тя е приложима за всички оферти, които отговарят на административните изисквания и на минималните технически изисквания, определени в съответната Техническа спецификация/Задание.

**Договорът се възлага въз основа на критерия „икономически най-изгодна оферта / най-добро съотношение качество-цена“. Най-ниската цена не е единствен критерий за възлагане.**

#### 2. Административна допустимост

Преди техническото и финансовото оценяване CMDR COE извършва проверка за административна допустимост. Офертите, които не отговарят на задължителните административни изисквания, могат да бъдат отстранени от последващо оценяване.

- офертата е получена в определения срок, на посочения адрес и в изисквания формат;
- офертата съдържа попълнени и подписани приложимите приложения, включително регистрационна форма, техническо предложение и ценово предложение;
- офертата е подписана от управителя или от надлежно упълномощен представител на участника;
- участникът е предоставил изисканите данни за идентификация, контакт и банкови реквизити;
- когато е приложимо, участникът е предоставил доказателства за право да предлага/доставя съответното оборудване, включително писмо за оторизация от производителя, официален дистрибуторски статус, декларация или друг еквивалентен документ;
- участникът е представил само една оферта за съответната покана или лот, освен ако в приложенията е изрично предвидена възможност за представяне на няколко технически варианта/предложения в рамките на една оферта.

Ако публичната покана е разделена на лотове, всеки лот се оценява отделно, освен ако в поканата е посочено друго. Ако приложенията позволяват представяне на няколко варианта/предложения (например „Оферта 1“, „Оферта 2“, „Оферта 3“), всеки вариант може да бъде оценен самостоятелно при условие, че съдържа пълна техническа и ценова информация.

#### 3. Техническа допустимост

След административната проверка се извършва проверка за техническа допустимост спрямо минималните изисквания в Заданието. До точково оценяване се допускат само оферти, които са технически приемливи и доказват съответствие с всички задължителни минимални изисквания.

Оферта, която не покрива минимално изискване, може да бъде определена като технически неприемлива, независимо от предложената цена. Участниците могат да предложат оборудване или решение, което надвишава минималните технически изисквания.

#### 4. Комплексна оценка

Оценяването на технически приемливите оферти се извършва по система от 100 точки. Комплексната оценка (КО) се формира като сбор от точките по критериите в Таблица 1.

| № | Критерий                                                        | Макс. точки | Фокус на оценката                                                                                                                                                                                               |
|---|-----------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Техническо съответствие и качество на предложеното решение      | 35          | Степен на съответствие с минималните изисквания; качество, надеждност, устойчивост, пригодност за оперативна/полева употреба; включени аксесоари, конфигурация, документация и доказателства за характеристики. |
| 2 | Срок за доставка, логистика и готовност за въвеждане в употреба | 20          | Реалистичност и краткост на срока за доставка; яснота на логистиката; способност за доставка до изискваното място; наличност на монтаж, активиране, първоначална настройка или проверка, когато е приложимо.    |
| 3 | Гаранция, поддръжка и следпродажбено обслужване                 | 15          | Гаранционен срок; условия за сервиз; наличност на резервни части, консумативи и аксесоари; техническа поддръжка; условия за връщане/ремонт/замяна.                                                              |
| 4 | Обучение, документация и оперативна готовност                   | 10          | Пълнота и качество на ръководствата; възможност за дистанционно или присъствено обучение/инструктаж, когато е приложимо; яснота на процедурите за използване, активиране, проверка и безопасна експлоатация.    |
| 5 | Устойчивост, съвместимост, сертификати и жизнен цикъл           | 5           | Съвместимост със съществуващи или бъдещи системи; стандарти, сертификати и регулаторно съответствие; произход и проследимост; устойчивост на поддръжката; възможност за бъдещо разширяване/интеграция.          |
| 6 | Цена и обща стойност на притежание                              | 15          | Обща цена; прозрачност на ценовата структура; включени доставка, застраховка, активиране, гаранция и поддръжка; икономическа ефективност спрямо качеството на предложението.                                    |

Формула за комплексна оценка:

$$\text{КО} = \text{ТК} + \text{ДЛ} + \text{ГП} + \text{ОД} + \text{УС} + \text{Ц}$$

където ТК = техническо качество (до 35 т.), ДЛ = доставка и логистика (до 20 т.), ГП = гаранция и поддръжка (до 15 т.), ОД = обучение и документация (до 10 т.), УС = устойчивост/съвместимост/сертификати (до 5 т.), Ц = цена (до 15 т.). Максималната комплексна оценка е 100 точки.

#### *5. Оценка на цената*

Оценката по критерия „Цена и обща стойност на притежание“ се изчислява по следната формула:

$$\text{Ц} = 15 \times (\text{Pmin} / \text{Pbid})$$

където Pmin е най-ниската обща цена сред технически приемливите оферти, а Pbid е общата цена на оценяваната оферта. Резултатът се закръгля до втория знак след десетичната запетая. Ако съответната покана включва абонамент, активиране, доставка, застраховка, монтаж, обучение или други разходи, те се вземат предвид в общата цена, освен ако в поканата е указано друго.

#### *6. Качествено оценяване на техническите критерии*

Оценителната комисия присъжда точки по качествените критерии въз основа на представените от участника доказателства. Когато е необходимо, CMDR COE може да изиска разяснения, при условие че разясненията не променят същността на офертата.

Общи насоки за точкуване:

- пълно или надвишаващо изискванията съответствие, добре доказано с технически документи, сертификати и ясна конфигурация - близо до максималните точки;
- съответствие с минималните изисквания, но с ограничени допълнителни предимства или по-малко детайлна документация - среден резултат;
- частично доказано съответствие или липса на достатъчно яснота, без да се нарушават минималните изисквания - нисък резултат;
- несъответствие с минимално задължително изискване - офертата може да бъде определена като технически неприемлива и да не бъде точково оценявана.

#### *7. Класиране и възлагане*

На първо място се класира офертата с най-висока комплексна оценка. При равен резултат CMDR COE може да класира по-високо офертата с по-висок резултат по техническо съответствие и качество. Ако равенството продължи, предимство може да има офертата с по-добра гаранция/поддръжка, а след това офертата с по-ниска обща цена. Ако и след това равенството не може да бъде разрешено, CMDR COE може да приложи допълнителна допустима процедура съгласно вътрешните правила за възлагане.

CMDR COE си запазва правото да не възложи договор, да отхвърли непълни или несъответстващи оферти, както и да поиска разяснения, когато това е необходимо за правилното прилагане на настоящата методика.

English version

### *1. Purpose and applicability*

This methodology establishes the general procedure for evaluating bids under CMDR COE calls for bids for the delivery of goods, systems, equipment, devices, accessories, activation/subscription services and related support where such elements are part of the relevant call. It applies to all bids that meet the administrative requirements and the minimum technical requirements defined in the relevant Technical Specification / Terms of Reference.

**The contract will be awarded on the basis of the “most economically advantageous bid / best value for money” criterion. The lowest price is not the sole award criterion.**

### *2. Administrative eligibility*

Before technical and financial scoring, CMDR COE will conduct an administrative eligibility check. Bids that do not meet the mandatory administrative requirements may be excluded from further evaluation.

- the bid is received within the stated deadline, at the indicated address and in the required format;
- the bid includes the completed and signed applicable annexes, including the vendor registration form, technical proposal and price offer;
- the bid is signed by the bidder's manager or a duly authorized representative;
- the bidder has provided the required identification, contact and bank information;
- where applicable, the bidder has provided evidence of the right to offer/supply the proposed equipment, including a manufacturer authorization letter, official distributor status, declaration or other equivalent document;
- the bidder has submitted only one bid for the relevant call or lot, unless the annexes explicitly allow several technical options/offers within one bid package.

If the call is divided into lots, each lot will be evaluated separately unless the call states otherwise. If the annexes allow several options/offers (for example “Offer 1”, “Offer 2”, “Offer 3”), each option may be evaluated separately provided that it contains complete technical and price information.

### *3. Technical admissibility*

After the administrative check, CMDR COE will assess technical admissibility against the minimum requirements in the Terms of Reference. Only technically acceptable bids that demonstrate compliance with all mandatory minimum requirements will proceed to scoring.

A bid that does not meet a minimum requirement may be declared technically unacceptable regardless of its price. Bidders may propose equipment or solutions that exceed the minimum technical requirements.

#### 4. Comprehensive evaluation

Technically acceptable bids will be evaluated using a 100-point scoring system. The comprehensive score (CS) is the sum of the points awarded under the criteria in Table 1.

| No. | Criterion                                                                   | Max points | Assessment focus                                                                                                                                                                                             |
|-----|-----------------------------------------------------------------------------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1   | Technical compliance and quality of the proposed solution                   | 35         | Degree of compliance with the minimum requirements; quality, reliability, robustness, suitability for operational/field use; included accessories, configuration, documentation and evidence of performance. |
| 2   | Delivery time, logistics and readiness for implementation                   | 20         | Realistic and shorter delivery timeline; clarity of logistics; ability to deliver to the required location; installation, activation, initial configuration or check where applicable.                       |
| 3   | Warranty, maintenance and after-sales support                               | 15         | Warranty period; service arrangements; availability of spare parts, consumables and accessories; technical support; return/repair/replacement arrangements.                                                  |
| 4   | Training, documentation and operational readiness                           | 10         | Completeness and quality of manuals; remote or on-site training/familiarization where applicable; clarity of procedures for use, activation, checks and safe operation.                                      |
| 5   | Sustainability, interoperability, certificates and lifecycle considerations | 5          | Compatibility with existing or future systems; standards, certificates and regulatory compliance; origin and traceability; sustainability of support; possibility for future expansion/integration.          |
| 6   | Price and total cost of ownership                                           | 15         | Total price; transparency of cost structure; included delivery, insurance, activation, warranty and support; cost efficiency in relation to the proposed quality.                                            |

Comprehensive score formula:

$$CS = TC + DL + WS + TD + SI + P$$

where TC = technical quality (up to 35 pts), DL = delivery and logistics (up to 20 pts), WS = warranty and support (up to 15 pts), TD = training and documentation (up to 10 pts), SI = sustainability/interoperability/certificates (up to 5 pts), P = price (up to 15 pts). The maximum comprehensive score is 100 points.

#### *5. Price scoring*

The score under the “Price and total cost of ownership” criterion will be calculated using the following formula:

$$P = 15 \times (P_{\min} / P_{\text{bid}})$$

where  $P_{\min}$  is the lowest total price among technically acceptable bids, and  $P_{\text{bid}}$  is the total price of the bid being evaluated. The result will be rounded to two decimal places. If the relevant call includes subscription, activation, delivery, insurance, installation, training or other costs, these will be considered in the total price unless the call states otherwise.

#### *6. Qualitative scoring of technical criteria*

The evaluation committee will award points under the qualitative criteria based on the evidence submitted by the bidder. Where necessary, CMDR COE may request clarifications, provided that such clarifications do not modify the substance of the bid.

General scoring guidance:

- full or above-minimum compliance, well supported by technical documents, certificates and clear configuration - close to maximum points;
- compliance with minimum requirements, with limited additional advantages or less detailed documentation - medium score;
- partly evidenced compliance or limited clarity, without breaching minimum requirements - low score;
- non-compliance with a mandatory minimum requirement - the bid may be declared technically unacceptable and not scored.

#### *7. Ranking and award*

The bid with the highest comprehensive score will be ranked first. In the event of equal scores, CMDR COE may rank higher the bid with the higher score for technical compliance and quality. If the tie remains, preference may be given to the bid with better warranty/support, followed by the lower total price. If the tie still cannot be resolved, CMDR COE may apply an additional permissible procedure under its internal procurement rules.

CMDR COE reserves the right not to award a contract, to reject incomplete or non-compliant bids, and to request clarifications where necessary for the correct application of this methodology.